

Safety Data Sheet according to 29 CFR 1910.1200(g)

PC-2 Rubbing Compound

1. Identification

Product identifier

PC-2 Rubbing Compound - 501202

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Automotive care products

Details of the supplier of the safety data sheet

Company name:	ITW Evercoat & Auto Wax
Street:	6600 Cornell Road
Place:	USA-45242 Cincinnati, OH
Telephone:	513-489-7600
e-mail:	info@automagic.com

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Flammable liquids: Flam. Liq. 4

Label elements

29 CFR Part 1910.1200

Signal word: Warning

Hazard statements

Combustible liquid

Precautionary statements

Keep out of reach of children.
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Store in a well-ventilated place.
Dispose of waste according to applicable legislation.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients

Mixtures

Safety Data Sheet according to 29 CFR 1910.1200(g)**PC-2 Rubbing Compound****Hazardous components**

CAS No	Components	Quantity
8042-47-5	white mineral oil (petroleum)	13.5 %
	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	12 %

4. First-aid measures**Description of first aid measures****General information**

No special measures are necessary. When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a doctor.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

Water spray jet. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the chemical

Flammable. Vapors may form explosive mixtures with air.

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Safety Data Sheet according to 29 CFR 1910.1200(g)

PC-2 Rubbing Compound

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fume/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

No special measures are necessary. Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapors may form explosive mixtures with air. Only use the material in places where open light, fire and other flammable sources can be kept away.

Further information on handling

Take off contaminated clothing. Wash hands before breaks and after work. When using do not smoke. When using do not eat or drink. Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on storage compatibility

Oxidising agent. Strong acid. Strong alkali. Pyrophoric or self-heating substances

Further information on storage conditions

Recommended storage temperature: 15-25°C

8. Exposure controls/personal protection

Safety Data Sheet according to 29 CFR 1910.1200(g)**PC-2 Rubbing Compound****Control parameters****Exposure limits**

CAS No.	Substance	ppm	mg/m ³	f/cc	Category	Origin
56-81-5	Glycerin (mist) Respirable fraction	-	5		TWA (8 h)	PEL
1344-28-1	alpha-Alumina Respirable fraction	-	5		TWA (8 h)	PEL

Exposure controls**Appropriate engineering controls**

Use only in well-ventilated areas.

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not smoke. When using do not eat or drink. Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapors/spray.

Eye/face protection

Wear eye protection/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn.

Recommended glove articles: HyFlex® Foam (EN 420, EN 388 (3131)).

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

No special environmental measures are necessary. Do not allow uncontrolled discharge of product into the environment.

Safety Data Sheet according to 29 CFR 1910.1200(g)**PC-2 Rubbing Compound****9. Physical and chemical properties****Information on basic physical and chemical properties**

Physical state:	Paste
Color:	blue
Odor:	fruity

pH-Value (at 20 °C):

8

Test method**Changes in the physical state**

Melting point/freezing point:

not determined

Initial boiling point and boiling range:

100 °C

Flash point:

>61 °C ASTM D 93

Flammability

Solid:

not determined

Gas:

not applicable

Lower explosion limits:

0,5 vol. %

Upper explosion limits:

7 vol. %

Ignition temperature:

>200 °C

Auto-ignition temperature

Solid:

not determined

Gas:

not applicable

Decomposition temperature:

not determined

Oxidizing properties

Not oxidising.

Vapor pressure:

0,6 hPa

(at 20 °C)

Density:

0,99 g/cm³

Water solubility:

completely miscible

Solubility in other solvents

not determined

Partition coefficient:

not determined

Viscosity / dynamic:

20000-25000 mPa·s

(at 20 °C)

Vapor density:

not determined

Evaporation rate:

not determined

Solvent content:

26,51 %

Safety Data Sheet according to 29 CFR 1910.1200(g)

PC-2 Rubbing Compound,

Other information

10. Stability and reactivity

Reactivity

Flammable.

Chemical stability

Stability: Stable

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Hazardous reactions: Will not occur

No known hazardous reactions.

Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapors may form explosive mixtures with air. Only use the material in places where open light, fire and other flammable sources can be kept away. Protect from sunlight.

Incompatible materials

Oxidising agent. Strong acid. Strong alkali. Pyrophoric or self-heating substances

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information

Information on toxicological effects

Toxicokinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet according to 29 CFR 1910.1200(g)**PC-2 Rubbing Compound**

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
8042-47-5	white mineral oil (petroleum)				
	oral	LD50 >5000 mg/kg	Rat	ECHA	
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA	
	inhalation (4 h) aerosol	LC50 >5,09 mg/l	Rat	ECHA	
	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics				
	oral	LD50 >5000 mg/kg	Rat	ECHA	OECD 401
	dermal	LD50 >2000 mg/kg	Rat	ECHA	OECD 402

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): No ingredient of this mixture is listed.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

12. Ecological information**Ecotoxicity**

Based on available data, the classification criteria are not met.

Persistence and degradability

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Bioaccumulative potential

Safety Data Sheet according to 29 CFR 1910.1200(g)**PC-2 Rubbing Compound**

The product has not been tested.

Mobility in soil

The product has not been tested.

Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations**Waste treatment methods****Advice on disposal**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled.

14. Transport information**US DOT 49 CFR 172.101**

Proper shipping name: Not a hazardous material with respect to these transport regulations.

Marine transport (IMDG)

UN number: Not Regulated.

UN proper shipping name:

Transport hazard class(es):

Packing group:

Air transport (ICAO-TI/IATA-DGR)

Not Regulated.

UN number:

UN proper shipping name:

Transport hazard class(es):

Packing group:

Not Regulated.

Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

Special precautions for user**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not Regulated.

USA - EN

Safety Data Sheet according to 29 CFR 1910.1200(g)**PC-2 Rubbing Compound****15. Regulatory information****U.S. Regulations****National Inventory TSCA**

registration status: Yes.

National regulatory information

SARA Section 311/312 Hazards:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics (-): Fire hazard

SARA Section 313 Toxic release inventory:

Aluminum oxide (fibrous forms) (1344-28-1): De minimis limit = 1.0 %, Reportable threshold = Standard

State Regulations**Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)**

This product contains no chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Substance/product listed in the following inventories

EU / Schweiz	yes
Taiwan	unknown
New Zealand	unknown
USA	yes
Canada	yes
Australia	yes
Japan	yes
China	yes
Korea	yes
Philippines	yes

16. Other information**Hazardous Materials Information Label (HMIS)**

Health:	1
Flammability:	2
Physical Hazard:	1
Personal Protection:	B

NFPA Hazard Ratings

Health:	1
Flammability:	2
Reactivity:	1
Unique Hazard:	



Safety Data Sheet according to 29 CFR 1910.1200(g)

PC-2 Rubbing Compound

Revision date: 07.11.2018

Revision No:

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.
