Printing date 06/21/2018

Reviewed on 12/20/2017

1 Identification

· Product identifier

· Trade name: HEAVY DUTY MACHINE CLEANER

- Article number: P-15
- · Application of the substance / the mixture Polishing agent/ Burnishing compound
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: BAF Industries 8010 Dixie Highway Florence, KY 41042 USA Phone:859-372-5900

Information department: msds_info@prowax.com

• Emergency Telephone Number: ChemTrec: 800-424-9300 Outside USA 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



Flammable liquid and vapor.

- · Label elements
- · GHS label elements
- *The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



- · Signal word Warning
- · Hazard statements
- Flammable liquid and vapor.
- · Precautionary statements
- Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations. • Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)

Printing date 06/21/2018

Reviewed on 12/20/2017

Trade name: HEAVY DUTY MACHINE CLEANER

(Contd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

0	•	
1317-95-9	Silica-Crystalline Tripoli	10-25%
64742-88-7	medium aliphatic hydrocarbon	10-25%
64742-47-8	Distillates (petroleum), hydrotreated light	2.5-10%
56-81-5	glycerol	≤2.5%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- · Reference to other sections
- No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.

 $(Contd. \ on \ page \ 3)$

USA

Printing date 06/21/2018

Reviewed on 12/20/2017

(Contd. of page 2)

Trade name: HEAVY DUTY MACHINE CLEANER

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

1317-95-9 Silica-Crystalline Tripoli

PEL Long-term value: 0.5* mg/m³ *resp. dust; 30mg/m3/%SiO2+2

REL Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A

TLV TLV withdrawn

56-81-5 glycerol

PEL Long-term value: 15* 5** mg/m³ mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation


· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



(Contd. on page 4)

US

Printing date 06/21/2018

*

Reviewed on 12/20/2017

Trade name: HEAVY DUTY MACHINE CLEANER

(Contd. of page 3)

9 Physical and chemical proper	ties
· Information on basic physical and c	hemical properties
· General Information	
· Appearance:	
Form:	Liquid
Color:	Light orange color
· Odor:	Solvent-like
· Odor threshold:	Not determined.
• <i>pH-value at 20</i> ° <i>C</i> (68 ° <i>F</i>):	8.3
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	42 °C (107.6 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	210 °C (410 °F)
• Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	0.8 Vol %
Upper:	6 Vol %
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1.1084 g/cm³ (9.2496 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
Dynamic at 20 °C (68 °F):	8,000 mPas
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	20.0 %
Water:	48.1 %
VOC content:	14.76 %
Solids content:	31.0 %
• Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 5)

Printing date 06/21/2018

Reviewed on 12/20/2017

Trade name: HEAVY DUTY MACHINE CLEANER

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. of page 4)

1

3

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:				
64742-88-7 medium aliphatic hydrocarbon				
Oral	LD50	>6,500 mg/kg (rat)		
Dermal	LD50	>6,500 mg/kg (rat) >3,000 mg/kg (rab)		

Inhalative LC50/4 h >14 mg/l (rat)

• Primary irritant effect:

- \cdot on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

· IARC (Internationa	l Agency	for Research	on Cancer)
----------------------	----------	--------------	------------

1317-95-9 Silica-Crystalline Tripoli

7631-86-9 silicon dioxide, chemically prepared

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

Printing date 06/21/2018

*

Reviewed on 12/20/2017

(Contd. of page 5)

Trade name: HEAVY DUTY MACHINE CLEANER

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IATA	UN1993
ADR, ADN, IMDG	Void
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (medium aliphatic hydrocarbon)
ADR, ADN, IMDG	Void
IATA	FLAMMABLE LIQUID, N.O.S. (medium aliphatic hydrocarbo
Transport hazard class(es)	
DOT	
3	
Class	3 Flammable liquids
Label	3
ADR, ADN, IMDG	
	Void
Class IATA	Void
	Void 3 Flammable liquids
IATA Class Label Packing group	3 Flammable liquids 3
IATA Class Label Packing group DOT, IATA	3 Flammable liquids 3 III
IATA Class Label Packing group	3 Flammable liquids 3
IATA Class Label Packing group DOT, IATA ADR, IMDG Environmental hazards:	3 Flammable liquids 3 III Void
IATA Class Label Packing group DOT, IATA ADR, IMDG	3 Flammable liquids 3 III
IATA Class Label Packing group DOT, IATA ADR, IMDG Environmental hazards:	3 Flammable liquids 3 III Void
IATA Class Label Packing group DOT, IATA ADR, IMDG Environmental hazards: Marine pollutant:	3 Flammable liquids 3 III Void No Not applicable. c II of
IATA Class Label Packing group DOT, IATA ADR, IMDG Environmental hazards: Marine pollutant: Special precautions for user	3 Flammable liquids 3 III Void No Not applicable.
IATA Class Label Packing group DOT, IATA ADR, IMDG Environmental hazards: Marine pollutant: Special precautions for user Transport in bulk according to Annex	3 Flammable liquids 3 III Void No Not applicable. c II of
IATA Class Label Packing group DOT, IATA ADR, IMDG Environmental hazards: Marine pollutant: Special precautions for user Transport in bulk according to Annex MARPOL73/78 and the IBC Code Transport/Additional information: DOT	3 Flammable liquids 3 III Void No Not applicable. c II of
IATA Class Label Packing group DOT, IATA ADR, IMDG Environmental hazards: Marine pollutant: Special precautions for user Transport in bulk according to Annex MARPOL73/78 and the IBC Code Transport/Additional information:	3 Flammable liquids 3 III Void No Not applicable. c II of

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 7)

USA

Printing date 06/21/2018

Reviewed on 12/20/2017

Trade name: HEAVY DUTY MACHINE CLEANER

· Section 313 (Spe	(Contd	. of pa
	cific toxic chemical listings):	
52-51-7 bronop	ol (INN)	
· TSCA (Toxic Su	bstances Control Act) All ingredients are listed	
TSCA new (21st	Century Act) (Substances not listed)	
	n-Crystalline Tripoli	
Proposition 65		
	n to cause cancer:	
None of the ingr		
Chemicals know	n to cause reproductive toxicity for females:	
None of the ingr		
Chemicals know	n to cause reproductive toxicity for males:	
None of the ingr		
Chemicals know	n to cause developmental toxicity:	
None of the ingre		
Carcinogenic ca	tegories	
-	ental Protection Agency)	
None of the ingr		
	Limit Value established by ACGIH)	
	<i>i-Crystalline Tripoli</i>	
	ional Institute for Occupational Safety and Health)	
- 1317-95-9 Silico - GHS label eleme	n-Crystalline Tripoli	
The product is cl Hazard pictogra	assified and labeled according to the Globally Harmonized System (GHS). ms	
GHS02		
	nino	
Signal word War Hazard statemer Flammable liqui	ats d and vapor.	
Hazard statemen Flammable liqui Precautionary st Keep away from	nts d and vapor. atements heat/sparks/open flames/hot surfaces No smoking.	
Hazard statemen Flammable liqui Precautionary st Keep away from Keep container t Ground/bond co.	nts d and vapor. atements heat/sparks/open flames/hot surfaces No smoking. ightly closed. ntainer and receiving equipment.	
Hazard statemen Flammable liqui Precautionary st Keep away from Keep container t Ground/bond co. Use explosion-pi Use only non-spo	nts d and vapor. atements heat/sparks/open flames/hot surfaces No smoking. ightly closed. ntainer and receiving equipment. oof electrical/ventilating/lighting/equipment. urking tools.	
Hazard statemen Flammable liqui Precautionary st Keep away from Keep container t Ground/bond co. Use explosion-pu Use only non-spa Take precautiona Wear protective	nts d and vapor. atements heat/sparks/open flames/hot surfaces No smoking. ightly closed. ntainer and receiving equipment. oof electrical/ventilating/lighting/equipment. urking tools. ary measures against static discharge. gloves/protective clothing/eye protection/face protection.	
Hazard statemen Flammable liqui Precautionary st Keep away from Keep container t Ground/bond co Use explosion-pr Use only non-spa Take precautiona Wear protective If on skin (or hai In case of fire: U	nts d and vapor. atements heat/sparks/open flames/hot surfaces No smoking. ightly closed. ntainer and receiving equipment. voof electrical/ventilating/lighting/equipment. urking tools. ary measures against static discharge.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 06/21/2018 / 20

(Contd. on page 8)

Printing date 06/21/2018

Reviewed on 12/20/2017

Trade name: HEAVY DUTY MACHINE CLEANER

(Contd. of page 7)
· Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the
International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flam. Liq. 3: Flammable liquids – Category 3
• * Data compared to the previous version altered.
US